

A3 7. (Once Amended) The user interface of claim 1 wherein at least one of the itinerary and filter regions is represented in a tagged format.

A4 12. (Once Amended) An article comprising a machine-readable medium which stores machine-executable instructions for generating a user interface for presenting travel itineraries to a user, the instructions operable to cause a machine to generate a user interface comprising:

an itinerary region for displaying travel itineraries, each travel itinerary having a corresponding value for a first travel criterion, the travel itineraries being grouped into a first set categories based on the value of the first travel criterion; and

a filter region including a plurality of cells and each cell associated with one of the first set of categories of travel itineraries;

wherein when a user selects one of the plurality of cells, the itinerary region displays only travel itineraries in the one of the first set of categories associated with the selected cell.

A5 14. (Once Amended) The article of claim 12 wherein:

the filter region further includes plurality of tabs, each tab being associated with a different travel criterion; and

the user causes the filter region to display the plurality of cells associated with categories based on the first criterion by selecting a tab associated with the first travel criterion.

A6 18. (Once Amended) The article of claim 12 wherein at least one of the itinerary and filter regions is represented in a tagged format.

A7 25. (Once Amended) An article comprising a machine-readable medium which stores machine-executable instructions for generating a user interface for presenting a travel itinerary to a user, the instructions operable to cause a machine to generate a user interface comprising:

a first display of a first segment of the itinerary including a location of departure and a location of arrival for the first segment; and

a second display of a subsequent segment of the itinerary including a location of departure and a location of arrival for the subsequent segment;

wherein the location of arrival for the first segment is different from the location of

A7
departure for the subsequent segment and at least one of the location of arrival for the first segment and the location of departure for the subsequent segment is emphasized indicate to the user that the itinerary has a different location of arrival for the first segment from the location of departure for the subsequent segment.

AS
27. (Once Amended) A user interface for presenting an itinerary to a user, the user interface comprising:

a display of a segment of the itinerary including:

- a location of departure and a location of arrival for the segment;
 - a duration for the first segment; and
 - at least one of a departure time and an arrival time for the segment.
-

AS
29. (Once Amended) An article comprising a machine-readable medium which stores machine-executable instructions for generating a user interface for presenting a travel itinerary to a user, the instructions operable to cause a machine to generate a user interface comprising:

a display of a segment of the itinerary including:

- a location of departure and a location of arrival for the segment;
 - a duration for the first segment; and
 - at least one of a departure time and an arrival time for the segment.
-